



DESCRIPTION & ADVANTAGES

POS MEDIA PP/PET BANNER

SYNTISOL PP FILM 170

satin 3629 170 µm

A satin coated, tear resistant polypropylene film with waterproof coating for solvent inks. This film has a paper like appearance and thanks to high colour brilliance, image definition, and excellent durability prints stand are a step above the rest.

Advantages

- High tear resistant PP film allows high dimensional stability
- Waterfast prints
- Combines the ecological and physical characteristics of a polypropylene film with the advantages of highly durable inks

GENERAL TIPS & STORAGE

To sustain quality of this media, it should be stored and converted under the following conditions: 35 - 65 % humidity with temperatures of 10 - 30°C. Keep the product in original packaging (cardboard box and PE bag). Cotton gloves should always be worn when handling inkjet media to avoid fingerprints.

[MediaSafetyDataSheet \(pdf\)](#)

SIZES, APPLICATIONS, PROPERTIES

Finished Rolls

Width	Length	Width	Length	Core	No. rolls / pallet	Min. quantity / order	No. rolls / box
30.0 ''	131.2 ´	76.2 cm	40.0 m	3 '' ø	30	10	1
36.0 ''	131.2 ´	91.4 cm	40.0 m	3 '' ø	30	10	1

42.0"	131.2'	106.7 cm	40.0 m	3"∅	30	10	1
50.0"	131.2'	127.0 cm	40.0 m	3"∅	30	10	1
54.0"	131.2'	137.2 cm	40.0 m	3"∅	30	10	1
60.0"	131.2'	152.4 cm	40.0 m	3"∅	30	10	1

Mill Reels

Width	Length	Width	Length	Core	No. rolls / pallet	Min. quantity / order	No. rolls / box
36.2"	7,217.9'	92.0 cm	2,200.0 m	3"∅	1	1	
42.5"	7,217.9'	108.0 cm	2,200.0 m	3"∅	1	1	
50.4"	7,217.9'	128.0 cm	2,200.0 m	3"∅	1	1	
54.3"	7,217.9'	138.0 cm	2,200.0 m	3"∅	1	1	
60.6"	7,217.9'	154.0 cm	2,200.0 m	3"∅	1	1	

Applications



Print technologies



Properties



Other sizes may be available upon request.

physical properties

satín 3629 170 µm

Weight (Total) [gsm]	130	ISO 536
Thickness (total) [microns]	170	ISO 534

PRINTER COMPATIBILITIES

Printer	3629
Hewlett Packard DJ 8000S / 9000S / 10000S	😊😊😊
Hewlett Packard DJ L65500 Latex ink	😊😊😊
Hewlett Packard DJ L25500 / 26500 / 28500 - Latex 260 / 280	😊😊😊
Hewlett Packard Scitex LX 600	😊😊😊
Hewlett Packard Scitex LX 800 / LX 820 / LX 850	😊😊😊
Hewlett Packard Latex 310 / 330 / 360 / 3000	😊😊
Hewlett Packard Latex 280 / 820 / 850	😊😊
ColorSpan DisplayMaker 72S	😊😊
Epson Stylus Pro GS6000 UltraChrome GS	😊😊😊
Epson SureColor SC-30600 / 50600 / 70600	😊😊
Roland SolJet SJ540 / SC540 SJ 740 / SC740	😊😊😊
Roland SC-500 Permasol S	😊😊
Roland VersaCAMM SP-300i / SP-540i	😊😊😊
Roland VersaCAMM VP-300i / VP-540i	😊😊😊
Roland VS 540 / VS 640	😊😊😊
Roland SolJET PRO4 XR-640	😊😊😊
Mimaki JV-3 160S, 250	😊😊😊
Mimaki JV 5-130 / -160 / -260 /-320	😊😊😊
Mimaki CJV 30	😊😊😊
Mimaki JV 33 / JV34 - 260	😊😊😊
Mimaki JV 400 -130LX /-160LX	😊😊😊
Mimaki JV400SUV Serie	😊😊😊
Mimaki CV300 Series Eco Solvent	😊😊😊
Mutoh Rockhopper 46", 62"	😊😊😊
Mutoh Rockhopper II 50", 64", 87"	😊😊😊
Mutoh Valuejet 1204 / 1304 / 1324 / 1614 / 1624 / 1638	😊😊

Océ CS6060

Océ CS9360 / CS935

Seiko SII Colorpainter 64S / 100S / W-54s/W-64s / H2-74s/H2-104s

Ricoh PRO-L4160-4C

Last update



11/5/2014

Legend

Excellent



Good



Fair



Datasheet

[Online Datasheet](#) **satín 3629** 170 µm 