

Coated Paper 95 yellow

— matt 3706 - 95 g/m²

Yellow coated paper, especially designed for POS applications, e.g. pricing.



The mark of
responsible forestry

Applications

- Pop-up / Roll-up Displays

Advantages

- High definition and sharp high resolution
- Short drying time
- Flame retardant certified

Coated Paper 95 yellow**— matt 3706 - 95 g/m²****List of Printers**

Printer	Ink	Quality
Hewlett Packard DJ 4000 (PS), 4500, T1100, T1200, 1050C/1055CM	Inkjet with CMY Dye and black pigment	Excellent
Hewlett Packard DJ 2000/2500/2800 3000/3500/3800 CP	Inkjet with waterbased Dye ink	Good
Océ Colorwave 600 / 650 / 700	Océ Crystal Point Technology - Solid Ink	Good
Hewlett Packard DJ 5000 (PS) / 5500 (PS)	Inkjet with waterbased Dye ink	Fair
Canon W 6200 / 8200 pigmented ink	Inkjet with waterbased pigmented ink	Fair

Last update: 03.02.2016

Coated Paper 95 yellow

— matt 3706 - 95 g/m²

Physical Properties

Weight (Total) [gsm]	95 +/-3	ISO 536
Thickness (total) [microns]	120	ISO 534
Chromaticity (D65 / 10°)	L* 85,5 a* -1,0 b* 89,0	DIN 6174
Opacity [%]	95	ISO 2471

General tips & storage

For quality reasons the paper should be stored and converted under conditions of 30-65% relative humidity and at a temperature of 10-30°C.

The values provided on this datasheet are only for orientation.

Before using our media please check its compatibility for your printer and intended application. Technical specifications are subject to change, therefore we do not take responsibility for any misprints resulting from technically modified inks and/or printers.