

DESCRIPTION & ADVANTAGES

IMAGING PAPERS WALLPAPER

PREPASTED WALLPAPER SOL PERSOMURAL 225

satin 3258 225 g/m²

High quality wallpaper coated with a satin finish specifically for solvent inks, providing outstanding colour brilliance and scratch resistance. Thanks to the paste backcoating, activated by wetting it with water, it can be hung with no additional protection needed.



The mark of
responsible forestry

Advantages

- Backcoated with a permanent waterbased paste guaranting long-lasting use
- High opacity for good coverage, covering small hairline cracks
- PVC-free and FSC® certified
- Quick dry
- Wide colour gamut and good colour reproduction
- The inkjet coating has a smooth surface with satin finish
- Both coating and print are water-resistant – no liquid lamination required
- High dimensional stability and wet strength, allowing “pre & post” paste cutting
- [Fire classification: D-s1, do \(ISO EN 13501-1 : 2007\)](#)
- [COV / VOC](#)
- [CE-Declaration of Performance / CE-Label](#)

GENERAL TIPS & STORAGE

To maintain the high quality of this wallpaper, it should be stored and converted in a climate of 30 – 65 % relative humidity and at a temperature of 10 – 30 °C (50 – 86 °F).

SIZES, APPLICATIONS, PROPERTIES

Finished Rolls

Width	Length	Width	Length	Core	No. rolls / pallet	Min. quantity / order	No. rolls / box
24.0"	167.3'	61.0 cm	51.0 m	3"∅	24	12	1
36.0"	167.3'	91.4 cm	51.0 m	3"∅	24	12	1
42.0"	167.3'	106.7 cm	51.0 m	3"∅	24	12	1
44.0"	167.3'	111.8 cm	51.0 m	3"∅	24	12	1
50.0"	167.3'	127.0 cm	51.0 m	3"∅	24	12	1
54.0"	167.3'	137.2 cm	51.0 m	3"∅	24	12	1
60.0"	167.3'	152.4 cm	51.0 m	3"∅	24	12	1

Applications



Print technologies



Properties



Other sizes may be available upon request.

physical properties

satin 3258 225 g/m²

Weight (Total) [gsm]	225 g/m ²	ISO 536
Thickness (total) [microns]	330 µm	ISO 534
Whiteness (CIE, D65/2°) [%]	70	CIELab System
Opacity [%]	91 %	ISO 2471
Chromaticity (D65 / 10°)	L* 96 a* -0,3 b* 3	DIN 6174

PRINTER COMPATIBILITIES

Printer	3258
Hewlett Packard DJ L65500 Latex ink	😊😊
Hewlett Packard DJ L25500 / 26500 / 28500 - Latex 260 / 280	😊😊
Hewlett Packard Latex 310 / 330 / 360 / 3000	😊😊😊
Hewlett Packard Latex 280 / 820 / 850	😊😊😊
ColorSpan DisplayMaker 72S	😊😊😊😊
ColorSpan Display Maker 72 UVR	😊😊😊😊
Epson Stylus Pro GS6000 UltraChrome GS	😊😊😊😊
Roland SoIJet SJ540 / SC540 SJ 740 / SC740	😊😊😊😊
Roland SC-500 Permasol S	😊😊😊😊
Roland VersaCAMM SP-300i / SP-540i	😊😊😊😊
Roland VS 540 / VS 640	😊😊😊😊
Roland CJV 30	😊😊😊😊
Mimaki JV400SUV Serie	😊😊😊😊
Last update	10/20/2015
Legend	
Excellent	😊😊😊
Good	😊😊
Fair	😊

Datasheet

Online Datasheet [satin 3258](#) 225 g/m² 